

56 in. Mounting Pole with Cap



Overview

The CM310 is a 142 cm (56 in.), stainless-steel, 1.5-in. IPS vertical pole. It is designed for mounting sensors, enclosures, or other instruments, and is an ideal mount for remote sensors such as a tipping bucket rain gage or net radiometer. Our CS700, TB4, and 385 rain gages are typically mounted to the CM310 via the CM240 leveling base. This mounting pole can be embedded

directly into a concrete foundation or used with a pedestal kit. (See Ordering Info on the web page.)

Note: Grounding connections from the mounting pole to the system's main tripod/tower or to the ground are important to help protect the system and measurements. The parts to establish these grounding connections are not included with the mounting pole.

Specifications

Material	Stainless-steel pipe 1.5 IPS
Outer Diameter	4.8 cm (1.9 in.)
Pipe Size	3.81 cm (1.5 in.) IPS
Length	142 cm (56 in.)
Weight	7.7 kg (17 lb)
Short Leg Kit	
Material	Stainless-steel tubing 1.5 OD

58 cm (23 in.)

Leg Length

- Pedestal Height and Radius 11 cm (4 in.) height and a 66 cm (26 in.) radius for Hole F
 -) 22 cm (9 in.) height and a 63 cm (25 in.) radius for Hole E
 - > 27 cm (11 in.) height and a 59 cm (23 in.) radius for Hole D

- 33 cm (13 in.) height and a 55 cm (22 in.) radius for Hole C
- 36 cm (14 in.) height and a 51 cm (20 in.) radius for Hole B
- **)** 41 cm (16 in.) height and a 46 cm (18 in.) radius for Hole A
- Note: The pedestal height is foot/ground to bottom of mast vertical distance, and it is adjustable to the following:

Long Leg Kit	
Material	Stainless-steel tubing 1.5 OD
Leg Length	99 cm (39 in.)
Pedestal Height and Radius	 20 cm (8 in.) height and a 105 cm (41 in.) radius for Hole F 41 cm (16 in.) height and a 97 cm (38 in.) radius for Hole E

- > 50 cm (20 in.) height and a 91 cm (36 in.) radius for Hole D
- > 59 cm (23 in.) height and a 85 cm (34 in.) radius for Hole C
-) 66 cm (26 in.) height and a 77 cm (30 in.) radius for Hole B
- 3 73 cm (29 in.) height and a 69 cm (27 in.) radius for Hole A

Note: The pedestal height is foot/ground to bottom of mast vertical distance, and it is adjustable to the following:

J-bolt Kit		
J-bolt Material	Stainless steel	
J-bolt Size	1/2-13 in. x 12 in.	





Campbell Scientific, Inc. | 815 W 1800 N | Logan, UT 84321-1784 | (435) 227-9120 | www.campbellsci.com AUSTRALIA | BRAZIL | CANADA | CHINA | COSTA RICA | FRANCE | GERMANY | INDIA | SOUTH AFRICA | SPAIN | THAILAND | UK | USA